Subject Index

A

Adhesive processing, electromagnetic irradiation, 1270
Aging
heat, nylon 6,6/poly(phenylene oxide) blend, 360
physical
amorphous PEEK, 1203
amorphous polymers, 1313
thermosets, differing degrees of cure, 1
Air transportation
aircraft environment, fluid effects on polyetherimide, 823
high-technology, cost-effectiveness and, 554
Alpha-olefin comonomer, linear low-density polyethylene resins affected by, 1542, 1551
Avrami equation
crystallization of PEEK, 1192
physio-chemical kinetics, 1042

B

Barrier screws, transition zone, performance study, 311
Binary blend systems, phase equilibrium in, 1590
Black-polyethylene systems, medium thermal, dielectric properties, 1581
Blown film: *see* Film
Boundary element equations, compression molding process, 413
Bubble nucleation, mixture of molten polymer and volatile liquid, shear flow field, 1616
Buckling, creep induced, plastic materials, 506
Butyl-acrylate vinyl-acetate based systems, dynamic mechanical measurements, 1318

C

Calorimetry
characterization, photosensitive materials, 367
differential scanning, thermal conductivity of polymer solids and melts, 1034
Capacitors, power, biaxially oriented polypropylene film, 862
ϵ-Caprolactam, anionic polymerization of, reaction-induced crystallization kinetics during, 13
Carbon black
copolymers containing, dynamic behavior, 1628
polymers containing
dynamic mechanical behavior, 877
electrical conductivity of, 58
Carbon fiber composites
continuous, photographed impact of, 626
reinforcing an epoxy matrix, elastomeric interphase, 568
Carboxymethylcellulose aqueous systems, dynamic viscoelasticity, added salt effects, 393
Cast films, compositional variations, 1381
Cellulosic fibers, polymerization of polyurethane and, 1334
Ceramic injection molding, coupling agents, Zirconia-polypropylene suspensions, 1572
Chemorheology
epoxy resin, pultrusion, 491
thermoset curing, 1071
Chlorination, high-density polyethylene, 1166, 1173
Coat-hanger die, linearly tapered, computer-aided analysis, 1517
Coextrusion process, short-fiber reinforced thermoplastic pipe, 964
Composites: *see also* specific composite
continuous fiber, photographed impact of, 626
thermoplastic-based, fluid sorption characterization, 634
Compression molding, boundary element simulation of, 413
Continuous mixers, modeling, 275
Copolyesters
thermotropic liquid crystalline, blends of chlorinated poly(vinyl chloride) compound, 1107
thermotropic liquid crystalline aromatic, rheological properties, 136
Copolymers
block, microstructural diagnosis, 207
carbon black, dynamic behavior, 1628
linear, characterization, 510
nylon-6 block, polymerization of, 1145
Copolyterephthalate, amorphous stretched, shrinkage forces and birefringences of, 1260
Copolyurethane, segmented block, properties, 679, 684
Coupling agents, role in Zirconia-polypropylene suspensions, ceramic injection molding, 1572
Crack propagation modes, fiber and particulate composites, microstructure, 610
Creep
buckling induced by
high density polyethylene specimens, 1066
plastic materials, 506
Crosslinked membranes, preparation, controlled pore size distribution, 341
Cryogenically Ground Rubber, effects on unsaturated polyester resin, 1455
Crystallization
extrusion grade high-density polyethylene, 1289
processing history and, nylon-6, 1600, 1607, 1612
reaction-induced kinetics, anionic polymerization of ϵ-Caprolactam, 13
strain-induced behavior, poly(ether ether ketone), 6
Cure analysis, printing wiring boards, 372
Curing
concurrent enthalpy recovery and, epoxy encapsulated semiconductor devices, 189
kinetics, epoxide/anhydride/amine resin system, comments, 773
thermoset, chemorheological characterization, 1071

D

Deformation behavior
PBT, processing condition effects, 143
thermal history effects, 2,6 MPPO, 544
DEG: *see* Diethylene glycol
Diepoxide-diamine network polymers, molecular relaxations, crosslink density effects, 221, 230
Diethylene glycol, formation, dehydration of glycol with TPA, 37
2,6-Dimethylpoly(phenylene oxide), deformation mechanism, thermal history effects, 544
Double cantilevered beam specimens, composite mode I and mode II, interlaminar fracture toughness testing, 592
Drawing plate technique, low pressure rheology, granular powders, 469

E

Elastomeric disks, analysis of interfacial stresses, compression, 655
Electron beam resists
polymer chemical structure, electron sensitivity relations, 32
polymer complex as, dry development, 912
Electron microscopy, transmission, studies of polycarbonate-poly(butylene terephthalate) blends, 104
Electron sensitivity, chemical structure relations, polymers, 32
Electrophoretic image display, polimide coatings, pattern generation in, 815
Elongational behavior, low density/linear low density polyethylenes, 90
Embossing, films, processing condition effects, 165
Endotherms, multiple melting, poly(ethylene terephthalate), 65
Epoxide/anhydride/amine resin system, cure kinetics of, comments, 773
Epoxy/amine resins, dielectric analysis, using microwave cavity tech-

Subject Index

A

Adhesive processing, electromagnetic irradiation, 1270
Aging
heat, nylon 6,6/poly(phenylene oxide) blend, 360
physical
amorphous PEEK, 1203
amorphous polymers, 1313
thermosets, differing degrees of cure, 1
Air transportation
aircraft environment, fluid effects on polyetherimide, 823
high-technology, cost-effectiveness and, 554
Alpha-olefin comonomer, linear low-density polyethylene resins affected by, 1542, 1551
Avrami equation
crystallization of PEEK, 1192
physio-chemical kinetics, 1042

B

Barrier screws, transition zone, performance study, 311
Binary blend systems, phase equilibrium in, 1590
Black-polyethylene systems, medium thermal, dielectric properties, 1581
Blown film: *see* Film
Boundary element equations, compression molding process, 413
Bubble nucleation, mixture of molten polymer and volatile liquid, shear flow field, 1616
Buckling, creep induced, plastic materials, 506
Butyl-acrylate vinyl-acetate based systems, dynamic mechanical measurements, 1318

C

Calorimetry
characterization, photosensitive materials, 367
differential scanning, thermal conductivity of polymer solids and melts, 1034
Capacitors, power, biaxially oriented polypropylene film, 862
ϵ-Caprolactam, anionic polymerization of, reaction-induced crystallization kinetics during, 13
Carbon black
copolymers containing, dynamic behavior, 1628
polymers containing
dynamic mechanical behavior, 877
electrical conductivity of, 58
Carbon fiber composites
continuous, photographed impact of, 626
reinforcing an epoxy matrix, elastomeric interphase, 568
Carboxymethylcellulose aqueous systems, dynamic viscoelasticity, added salt effects, 393
Cast films, compositional variations, 1381
Cellulosic fibers, polymerization of polyurethane and, 1334
Ceramic injection molding, coupling agents, Zirconia-polypropylene suspensions, 1572
Chemorheology
epoxy resin, pultrusion, 491
thermoset curing, 1071
Chlorination, high-density polyethylene, 1166, 1173
Coat-hanger die, linearly tapered, computer-aided analysis, 1517
Coextrusion process, short-fiber reinforced thermoplastic pipe, 964
Composites: *see also* specific composite
continuous fiber, photographed impact of, 626
thermoplastic-based, fluid sorption characterization, 634
Compression molding, boundary element simulation of, 413
Continuous mixers, modeling, 275
Copolyesters
thermotropic liquid crystalline, blends of chlorinated poly(vinyl chloride) compound, 1107
thermotropic liquid crystalline aromatic, rheological properties, 136
Copolymers
block, microstructural diagnosis, 207
carbon black, dynamic behavior, 1628
linear, characterization, 510
nylon-6 block, polymerization of, 1145
Copolyterephthalate, amorphous stretched, shrinkage forces and birefringences of, 1260
Copolyurethane, segmented block, properties, 679, 684
Coupling agents, role in Zirconia-polypropylene suspensions, ceramic injection molding, 1572
Crack propagation modes, fiber and particulate composites, microstructure, 610
Creep
buckling induced by
high density polyethylene specimens, 1066
plastic materials, 506
Crosslinked membranes, preparation, controlled pore size distribution, 341
Cryogenically Ground Rubber, effects on unsaturated polyester resin, 1455
Crystallization
extrusion grade high-density polyethylene, 1289
processing history and, nylon-6, 1600, 1607, 1612
reaction-induced kinetics, anionic polymerization of ϵ-Caprolactam, 13
strain-induced behavior, poly(ether ether ketone), 6
Cure analysis, printing wiring boards, 372
Curing
concurrent enthalpy recovery and, epoxy encapsulated semiconductor devices, 189
kinetics, epoxide/anhydride/amine resin system, comments, 773
thermoset, chemorheological characterization, 1071

D

Deformation behavior
PBT, processing condition effects, 143
thermal history effects, 2,6 MPPO, 544
DEG: *see* Diethylene glycol
Diepoxide-diamine network polymers, molecular relaxations, crosslink density effects, 221, 230
Diethylene glycol, formation, dehydration of glycol with TPA, 37
2,6-Dimethylpoly(phenylene oxide), deformation mechanism, thermal history effects, 544
Double cantilevered beam specimens, composite mode I and mode II, interlaminar fracture toughness testing, 592
Drawing plate technique, low pressure rheology, granular powders, 469

E

Elastomeric disks, analysis of interfacial stresses, compression, 655
Electron beam resists
polymer chemical structure, electron sensitivity relations, 32
polymer complex as, dry development, 912
Electron microscopy, transmission, studies of polycarbonate-poly(butylene terephthalate) blends, 104
Electron sensitivity, chemical structure relations, polymers, 32
Electrophoretic image display, polimide coatings, pattern generation in, 815
Elongational behavior, low density/linear low density polyethylenes, 90
Embossing, films, processing condition effects, 165
Endotherms, multiple melting, poly(ethylene terephthalate), 65
Epoxide/anhydride/amine resin system, cure kinetics of, comments, 773
Epoxy/amine resins, dielectric analysis, using microwave cavity tech-

nique, 1450
Epoxy encapsulated semiconductor devices, concurrent enthalpy recovery, curing phenomena and, 189
Epoxy matrix, carbon fibers reinforcing, elastomeric interphase, 568
Epoxy mortar, critical stress intensity factor, 1182
Epoxy resins, chemorheology, for pultrusion, 491
Ethylene, copolymerization of, simultaneous oligomerization and, 1469
Ethylene glycol, terephthalic acid, continuous esterification process between, 385
Extruders
cooling, in thermoplastic foam extrusion, 1227
twin-screw, corotating, modeling of continuous mixers, 275
Extrusion process
behavior, filled polymeric systems, 453
bicomponent, interface determination, 982
control, using thermal method, 697, 708
reactive
polystyrene/polyethylene blends, 1434
polyurethane, 743
single screw, polymer melt temperature fluctuation, 429
slip boundary conditions, modeling of, 758

F

Fatigue fracture diagram, BPA polycarbonate, 641
Fiber, advanced oriented, 871
Fiber composites, crack propagation modes, 610
Filament wound case, space shuttle, composite properties for materials used, 562
Fillers, effect on rheological behavior, 1,2 polybutadiene rubber, 648
Film
blown
linear low-density polyethylene resins, 1551
multiplicities and instabilities, 1527
Flat dies, geometry, 1275
Foaming
filled solutions of nitrile butadiene rubber, 1009
simulation of, reaction injection molding, 949
Fractionation, polymers, efficiency of, 497

G

Gel effect, computation, multifunctional self-polymerization, 42
Geometry
flat die, 1275
radial flow, reactive injection molding, numerical simulation of, 434
Glass transition temperature, analysis, miscible polymer blends, 1355
Glycol, dehydration, formation of DEG, 37
Graphite/epoxy composites, coated/uncoated, fracture behavior, 605

H

Heating, differential conditions, deep drawing of polypropylene sheets, 405
Heat transfer, processing-structure relations and, PEEK, 583
High nitrile barrier polymers, thermal degradation of, 1152
Hollow fiber membrane, asymmetric Loeb-type, latent skin, 113
Hydroxybenzoic acid-ethylene terephthalate copolymers, blends with polystyrene, polycarbonate, and polyethylene terephthalate, 1095

I

Injection-molded parts, gapwise density, 1509
Injection molding
computer aided applications to, 421
continuous fiber-reinforced polymer, 333
packing stage in, thermoplastics, 1637
polyureas, properties and phase separation, 888
polyurea system, reaction kinetics, 660
ram velocity in, optimal anticipatory control of, 147, 157
reaction
engineering analysis, nylon 6, 476
foaming, simulation, 949
numerical simulation, radial flow geometry, 434
polyureas, 955
polyurethane crosslinking system, 1219
reinforced plastics, 484
thermoplastic materials, experimental and theoretical study, 460
Intramolecular reactions, self-polymerization in the presence of, gel effect computation, 42
Irradiation, electromagnetic, adhesive processing, 1270
Isocyanates, blocked, interpenetrating polymer network from, 775

J

J integral measurements, ultra high molecular weight polyethylene, 1586

L

Lap shear joint method, polymer welding relations, 52

M

Melt blown process, nonwoven webs, strength properties, 81
Microwave cavity technique, dielectric analysis of epoxy/amine resins, 1450
Molding operations, electronic packages, wire bond behavior during, 926
Molecular relaxation, diepoxide-diamine network polymers, 221, 230
2,6 **MPPO:** *see* 2,6-Dimethylpoly(phenylene oxide)

N

Nitrile butadiene rubber
filled solutions of, foaming characteristics, 1009
flexible, chemically protective coating, 1052
Non-Newtonian flow, pressure drop/flow rate equation for, 1559
Nylon-6
block copolymers, polymerization of, 1145
procesing history, vs. crystallization rate, 1600, 1607, 1612
reaction injection molding process, engineering analysis, 476
Nylon 6,6/polyphenylene oxide) blend, heat aging of, 360
Nylon blends, instability of phase morphology, polyethylenes and polystyrenes, 69

O

Oligomerization, simultaneous, copolymerization and, ethylene, 1469
Oligomers, from manufacture of PET, melting points, 377, 381
Optimal anticipatory control, ram velocity, injection molding, 147, 157
Orientation, technology, commercial products and, 857

P

Packaging, rigid food, polyolefin properties, 1156
Particulate composites
crack propagation modes, 610
mechanical behavior of, predictive model, 522
PBT: *see* Poly(butylene terephthalate)
PEEK: *see* Poly(ether ether ketone)
Penetrant, anomalous, transport in glassy polymers, 96
PET: *see* Poly(ethylene terephthalate)
Phenoxy, polycarbonate blends, behavior before and after interchange reactions, 1126
Photosensitive materials, calorimetric characterization, 367
Physico-chemical kinetics, Avrami equation for, 1042
Poly(acrylonitrile-butadiene-styrene), blends of polycarbonate with, 1115
Poly(alkyl methacrylates), characterization of polymer blends with, steady-state fluorescence spectroscopy and fluorescene decay measurements, 1373
Polyamic acid films, solvent removal in, 688
Polyamide
amorphous, blends of thermoplastic polyesters with, 1326
polyolefin blends, compatibilized, processing-morphology relations, 1416
Poly(γ-benzyl α,L-glutamate), liquid crystalline gels, rheological properties in benzyl alcohol, 1304
1,2 Polybutadiene rubber, rheological behavior, filler effects, 648
Polybutadienes, blends, miscibility of, 1277
Poly(butylene terephthalate)
butt welds, strength, 998
deformation behavior, processing condition effects, 143
Polycaprolactone, crosslinking, pregelation region, 1484
Polycaprolactone-polyvinyl chloride-styrene acrylonitrile copolymer,

phase equilibrium in, 1590
Polycarbonate
blends with hydroxybenzoic acid-ethylene terephthalate copolymers, 1094
blends with poly(styrene-co-acrylonitrile), poly(acrylonitrile-butadiene-styrene) and, 1115
BPA, polymer fatigue fracture, 641
butt welds, strength, 989
phenoxy blends, behavior before and after interchange reactions, 1126
Polycarbonate/polybutylene terephthalate blends
hydrolysis of, 200
morphological studies, transmission electron microscopy, 104
Polyester resin
unsaturated
cryogenically ground rubber effects, 1455
pultrusion of, mathematical model, 321
Polyesters, thermoplasctic, amorphous polyamide with, 1326
Poly(ether ether ketone)
amorphous, physical aging of, 1203
crystallization behavior
parallel Avrami model, 1192
strain-induced, 6
fluid sorption characterization, 634
processing structure relations, heat transfer effects, 583
structure and properties, mechanical drawing effects, 181
Polyetherimide
aircraft environment, fluid effects, 823
butt welds, strength, 998
Polyethylene
antioxidant and antioxidant synergist in, cables, 1445
blends of nylon with, instability of phase morphology, 69
chlorinated high-density, 1166, 1173
extrusion grade high-density, fractions obtained from, 1289
high-density, creep-induced buckling, 1066
linear low-density poly(octadecene-co-maleic anhydride) blends, behavior, 1132
low density/linear low density, elongational behavior of, 90
polycarbonate/linear low-density, thermal analysis, 1077
polypropylene blends, injection molded high density, annealing effects, 1477
polystyrene blends
reactive extrusion, 1434
rheological evaluation, 1405
ultra high molecular weight, J integral measurements, 1586
wire-coating low-density, numerical simulation, 291
Polyethylene blends, polypropylene-linear low density blends, properties, 670
Polyethylene films
embossed, microstructure, processing condition effects, 165
low-density, shrinkage, 517
Polyethylene resins, liner low-density, rheology and processing, alpha-olefin comonomer effects, 1542, 1551
Polyethylene terephthalate
blends with hydroxybenzoic acid-ethylene terephthalate copolymers, 1094
multiple melting endotherms of, 65
oligomers obtained in the manufacture of, melting points, 377, 381
Polyimide coatings, pattern generation, electrophoretic image display, 815
Polyimides, low thermal expansion coefficient, chemical structure and properties, 906
Polymer blends
carbon black, electrical conductivity, 58
homogeneous, viscosity of, 20
liquid crystal, thermodynamic miscibility, 916
miscible, glass transition temperature analysis, 1355
two-phase co-continuous, preparation, structure, and properties, 796
viscoelastic behavior, 1401
welding relations, lap shear joint method, 52
Polymer coating, mechanical behavior, 688
Polymer complex, electron beam resist, dry development, 912
Polymer flows, multilayer, slits and annuli, 444
Polymeric liquid crystals, transmission of mechanical energy through, 785
Polymeric passivation material, residual stresses, 1026
Polymeric systems, composite, extrusion behavior of, 453
Polymerization, reversible step growth, homogeneous continuous flow stirred tank reactors, 1240
Polymerization reactors
batch and continuous emulsion, models, 237, 257
estimation and control in, 121
Polymer melts
screw axis, temperature distribution along, 1565
thermal conductivity, differential scanning calorimetry, 1034
viscosity-temperature dependence, compensation effects in, 529
Polymer network, interpenetrating, from blocked isocyanates, 775
Polymers
amorphous, time-temperature superposition and physical aging in, 1313
cabon black, dynamic mechanical behavior, 877
characterization, thermogravimetric-mass spectroscopy, 1046
continuous fiber-reinforced, injection molding of, 333
crystalline moldings, practical characterization, 852
fractionation, efficiency of, 497
glassy, anomalous penetrant transport in, 96
high nitrile barrier, thermal degradation of, 1152
interpenetrating networks, castor oil based polyurethanes, 901
ionic, classification of, 1473
melt temperature fluctuation, single screw extrusion process, 429
memory effects in, 1600, 1607, 1612
molecular weight distribution, characterization by transient viscoelasticity, 538
molten, bubble nucleation in, 1616
naphthalene-containing, characterization, 1373
rubber-toughened, unstable fracture of, 1462
semicrystalline, mechanical property enhancement, 830
solution properties, spin-coating process mechanism, 945
Polymer systems, multiphase, interfacial agents, 1392
Poly(methyl methacrylate), copolymers blends, compositional variations in cast films of, 1381
Poly(methyl methylcrylate), solution blending with polystyrene, 1362
Poly(octadecene-co-maleic anhydride), linear low-density polyethylene blends, behavior, 1132
Polyolefin
polyamide blends, compatibilized, processing-morphology relations, 1416
rigid food packaging, 1156
Polyphenylene oxide
butt welds, strength, 998
foams, stiffness and strength data, 1501
Poly(p-hydroxy-benzoic acid-co-ethylene terephthalate), liquid crystalline, injection molded samples, 1248
Polypropylene
biaxially oriented film, power capacitors, 862
crystalline isotactic, drawn smectic and, molecular orientation, 974
isotactic, deformation order-disorder in, 842
molecular orientation, rolling-drawing, 1264
oriented, tensile flow stress model, 740
polyethylene blends, injection molded high density, annealing effects, 1477
Polypropylene copolymer systems, filled, fracture toughness of, 806
Polypropylene-linear low density polyethylene blends, rheological properties, 670
Polypropylene resins, controlled-rheology, production by peroxide promoted degradation during extrusion, 170
Polypropylene sheets, deep drawing, under differential heating conditions, 405
Polystyrene
blends of nylon with, instability of phase morphology, 69
blends with hydroxybenzoic acid-ethylene terephthalate copolymers, 1094
polyethylene blends
reactive extrusion, 1434
rheological evaluation, 1405
rubber toughening of, reactive blending, 1427
solution blending with poly(methyl methacrylate), 1362
solvent recycling, model process for, 534
stored energy of cold work, 1198
Poly(styrene-co-acrylonitrile), blends of polycarbonate with, 1115
Polytetrafluoroethylenes, molecular weight distribution, transient viscoelasticity and, 538
Polyureas
reaction injection molding, 660, 955

solution polymerized and reaction injection molded, properties and phase separation, 888
Polyurethane
castor oil based, interpenetrating polymer networks from, 901
crosslinking system, reaction injection molding of, 1219
polymerization of, cellulosic fiber effects, 1334
reactive extrusion process, 743
Polyurethane-urea polyvinyl, simultaneous interpenetrating networks, structure and properties, 775
Poly(vinyl chloride), chlorinated compound, thermotropic liquid crystalline copolyester and, 1107
Poly(vinyl chloride)/styrene-acrylonitrile copolymer/poly(methyl methacrylate) ternary blend system, miscibility and morphology, 1085
Pore size distribution, controlled, preparation of crosslinked membranes with, 341
Pre-gelation region, crosslinking of polycaprolactone in, 1484
Pressure drop/flow rate equation, non-Newtonian flow, channels of irregular cross-section, 1559
Pultrusion process
chemorheology of epoxy resin for, 491
mathematical model for simulation, unsaturated polyester resin, 321

R

Radial flow geometry, reactive injection molding, numerical simulation of, 434
Ram velocity, optimal anticipatory control, injection molding, 147, 157
Reaction injection molding: *see* Injection molding Reactive adhesive layers, printing wiring board, cure analysis of, 372
Reactors: *see* specific type
Refractive index increment, characterization of linear copolymers, 510
Resin, rheological studies, torsion impregnated cloth analysis, 578
Rheology
low pressure, granular powders, 469
thermotropic liquid crystalline aromatic copolyesters, 136
torsion impregnated cloth analysis, resin, 578

S

Salt, dynamic viscoelasticity and, carboxymethylcellulose aqueous systems, 393
Screw axis, polymer melts, temperature distribution along, 1565
Self-polymerization, multifunctional, computation of gel effect, 42
Semiconductor devices, epoxy encapsulated, 189
Semicrystalline polymers, mechanical property enhancement, 830
Shear flow field, mixture of molten polymer and volatile liquid, bubble nucleation in, 1616
Silicon wafers, encapsulation stresses on, x-ray determination, 1013
Siloxanes, copolymers blends, compositional variations in cast films of, 1381
Simha-Somcynsky theory, liquid-liquid phase behavior of mixtures, 1347
Solution polymerization, polyureas, properties and phase separation, 888
Solvent technique, recycling, polystyrene, 534
Space shuttle, filament wound case for, composite properties for materials used, 562
Spectroscopy, thermogravimetric-mass, polymer characterization, 1046
Spin-coating process method, related to polymer solution properties, 945
Stirred tank reactors
comparison with batch and continuous emulsion polymerization reactors, 257
reversible step growth polymerization in, 1240
Stress activated phase transition deformation model, thermodynamic base for, 1162

T

Tensile flow stress model, oriented polypropylene, 740
Terephthalic acid
ethylene glycol, continuous esterification process between, 385
formation of DEG, dehydration of glycol and, 37
Ternary blend systems, phase equilibrium in, 1590
Thermoplastic foams
extrusion, performance of cooling extruders, 1227
rigid, mechanical properties, 1491, 1501
Thermoplastic pipe, short-fiber reinforced, coextrusion process, 964
Thermoplastics
injection molding of, packing stage, modeling of, 1637
large extension of, lateral strain effects during, 1209
Thermosets
physical aging, differing degrees of cure, 1
transfer pot temperature for, 1056
TPA: *see* Terephthalic acid
Transition zone, performance study of barrier screws, 311

V

Vibration welding, thermoplastics, 718, 728, 989, 998
Viscoelasticity, polymer blends, 1401

W

Webs, nonwoven, melt blown process, 81
Welding process
analysis of, 728
phenomenology of, 718
strength of polycarbonate butt welds, 989
strengths of poly(butylene terephthalate), polyetherimide, and modified polyphenylene oxide butt welds, 998
Wire bond behavior, during molding operations, electronic packages, 926
Wire-coating process, low-density polyethylene, numerical simulation, 291
Wiring board, printed, cure analysis of, 372

X

X-ray, encapsulation stresses, silicon wafers, 1013

Z

Zirconia-polypropylene suspensions, coupling agents in, ceramic injection molding, 1572

Author Index

Abadie, M. J. M., 367
Acierno, D., 90
Acton, A., 372
Agassant, J. F., 460
Agrawal, A. R., 147, 157
Aguilar-Vega, M. D. J., 1334
Alles, H., 460
Allred, R., 372
Altman, C., 1600
Amano, O., 1565
Amellal, K., 311, 1342
Amendola, E., 1203
Anderson, L. L., 522
Appelt, B. K., 367
Arends, C. B., 506, 1066
Aubin, M., 1355

Bailly, C., 104
Baker, W. E., 1427
Banerjie, A., 1600
Bascom, W. D., 773
Bauer, C. L., 688
Belfiore, L. A., 916
Bell, J. P., 605
Belton, D. J., 189
Benavente, R., 1260
Benguigui, L., 1581
Benham, E. A., 1469
Bhagawan, S. S., 648
Bigg, D. M., 830
Blahovici, T. F., 1381
Boone, M. B., 871
Brostow, W., 785
Brown, G. R., 1381
Bubeck, R. A., 1
Burns, C. M., 1115, 1362

Cagliostro, D. E., 562
Cain, J. J., 1527
Camberlin, Y., 775
Carfagna, C., 1203
Castellari, C., 113
Cavaille, J. Y., 1318
Cebe, P., 1192
Chan, A. W., 333
Chang, B. H., 1167, 1173
Chang, B. T.-A., 1198
Charlesworth, J. M., 220, 229
Charrier, J.-M., 964
Chen, C. C., 69
Chen, K.-C., 1517
Chen, Z. S., 888
Cheung, M. F., 200
Chien, M. C., 6
Chin, H. B., 321
Choi, K. J., 81
Chomyn, G., 1034
Choplin, L., 529
Chung, T.-S., 1509
Clough, S. B., 65
Cohen, A., 506, 1066
Cole, K. C., 1445
Collins, W. D., 823
Comelli, F., 113
Crine, J.-P., 1445
Crozier, D. G., 491
Cruz-Ramos, C. A., 1334

Dai, J. W., 1173
Dalal, V. F., 544
D'Amore, A., 1203
De, S. K., 648
Dealy, J. M., 964
De Candia, F., 974
Dechenaux, E., 945
Delimoy, D., 104
Denn, M. M., 1527
Devaux, J., 104
Dharmarajan, N., 1182
Diamant, J., 207
Dillard, D. A., 655
Djokovic, D., 1477
Doshi, S. R., 964
Dowler, B. L., 421
Dutta, A., 20
Dziemianowicz, T. S., 785

Eklund, S., 1289
Elbirli, B., 311, 1342
Elemans, P. H. M., 275
Eliçabe, G. E., 121
Evans, J. R. G., 1572
Eyerer, P., 143

Farris, R. J., 522, 688
Favis, B. D., 1345, 1416
Fellers, J. F., 81
Fernando, P. L., 806
Finzel, M., 1450
Fontan, E., 69
Fowler, M. W., 1427
Francesconi, R., 113
Frechette, F. J., 453
Fujita, S. M., 341
Fullerton, R., 372

Gandhi, K., 877, 1484, 1628
Gaztelumendi, M., 1126
Gedde, U. W., 1248, 1289
Gerard, J.-F., 568
Ghofraniha, M., 58
Gobran, D. A., 888
Goldfarb, I. J., 1046
Golovoy, A., 200
Gotro, J. T., 1071
Gould, R. J., 857
Grossman, S. J., 1145
Gupta, R. K., 453

Haber, A., 165
Hamielec, A. C., 170
Han, C. D., 321, 1227, 1616
Han, J. H., 1600, 1607, 1612, 1616
Haridoss, S., 1445
Harrison, I. R., 517, 1162
Hawley, M. C., 1450
Hedmark, P. G., 1248
Heng, F. L., 291
Hiltner, A., 1167, 1173
Holden, D. A., 1373
Holding, S. R., 1289
Hong, C.-N., 1517, 1559
Hoontrakul, P., 1009, 1052
Hrymak, A. N., 982
Hsu, T. J., 955

Huang, J. C., 1145
Huarng, J. C., 1085, 1590
Huilier, D., 1637
Hunt, K. N., 1572
Hurez, P., 529
Hwang, S.-T., 333
Hyun, M. E., 743

Iannelli, P., 974
Ibidapo, T. A., 1473
Ilcewicz, L. B., 592
Imamura, Y., 377, 385

Jabarin, S. A., 1152, 1156
Jansson, F.-F., 1248
Jasson, J.-F., 1289
Jog, J. P., 1326
Jones. E. G., 1046
Joseph, R., 605
Jourdan, C., 1318
Jow, J., 1450

Kalyon, D. M., 1542, 1551
Kamal, M. R., 165
Kampouris, E. M., 534
Karagiannis, A., 982
Keary, P. E., 592
Kern, T., 1450
Khandelwal, P. K., 42
Khanna, Y. P., 1034, 1042, 1600, 1607, 1612
Kim, S. C., 13, 477, 743
Kim, W. N., 1115, 1362
Kinjo, N., 403, 906
Klein, R. W., 1586
Kline, D. B., 52
Kollen, W. J., 1156
Kriz, D., 1484
Kulkarni, M. G., 20
Kumar, A., 42, 1240
Kumar, R., 1607, 1612
Kuratsuji, T., 684
Kyu, T., 1095

Lack, C. D., 434
La Mantia, F. P., 90
Laverty, J. J., 360
Lee, B.-L., 469, 1107
Lee, C. Y-C., 578
Lee, D., 405
Lee, K. H., 13, 477
Lee, L. H., 181
Lee, L. J., 697, 708, 955
Legras, R., 104
Lekakou, C. N., 534
Lenfant, C., 1637
Levij, M., 670
Li, J. C. M., 1198
Li, S., 165
Liljenström, G., 1289
Limtasiri, T., 1145
Liu, T., 517, 1162
Liu, T.-J., 1517, 1559
Lofgren, E. A., 1152
Long, E. R., Jr., 823
Lopez, J. M. R., 1248
Ludwig, H.-J., 143

Machida, T., 405
Macosko, C. W., 660, 888, 1219
Mai, C., 775
Makimura, O., 381
Makino, D., 906
Malaczynski, G. W., 1270
Manas-Zloczower, I., 1219
Manzione, L. T., 949, 1056
Martin, G. C., 1071
Mashelkar, R. A., 20
Mashiko, K., 393
Matsubara, Y., 1275
Matsumoto, D. S., 1313
Matsumoto, T., 393
Maurer, F. H. J., 670
Mavridis, H., 982
McDaniel, M. P., 1469
Meijer, H. E. H., 275, 758
Meira, G. R., 121
Mencer, H. J., 497
Michaud, P., 775
Mielke, W., 1077
Miles, I. S., 796
Min, K., 69, 1085, 1277, 1590
Minnema, L., 815
Mitsoulis, E., 291
Mizuno, Y., 377
Moet, A., 544
Molter, M., 189
Mondragón, I., 1126
Montgomery, R. E., 655
Moore, D. R., 626
Moy, F. H., 1542, 1551
Muthukumar, M., 1304

Nadkarni, V. M., 1326
Nakada, T., 32, 912
Narisawa, I., 1462
Narkis, M., 1484, 1581
Nash, J. L., 862
Nazabál, J., 1126
Nguyen, L. T., 926, 1013, 1026
Nicolais, L., 1203
Nied, H. F., 1209
Nies, E., 1347
Nimmer, R. P., 1491, 1501
Nordberg, M. E., III, 444
Noyan, I. C., 1013, 1026
Numata, S., 906

O'Connor, K. M., 1132
Ogata, N., 32, 912
Oguchi, K., 32, 912
Orler, E. B., 1132
Osswald, T. A., 413
Ottani, S., 113

Pandelidis, I. O., 147, 157
Pannone, M. C., 660
Papaspyrides, C. D., 534
Patel, P., 901
Patwardhan, A. A., 916
Pedrick, D. L., 1046
Peppas, N. A., 96

Pereña, J. M., 1260
Perez, J., 1318
Perrin, A. R., 740, 1264
Peyser, P., 773
Pezzin, G., 113
Philipon, S., 460
Poelzing, G. W., 1056
Porter, R. S., 842
Posiinski, A. J., 453
Prediger, R. S., 626
Progelhof, R. C., 1056
Prud'Homme, R. E., 1355

Quinlivan, J. T., 553

Radosta, J. A., 829
Raikar, S. B., 421
Ramamurthy, K., 648
Rawlings, J. B., 237, 257
Ray, W. H., 237, 257
Reboredo, M. M., 485
Reimschuessel, A. C., 1600, 1607, 1612, 1616
Rhee, H., 605
Rimnac, C. M., 1586
Rodriguez, E. L., 1455
Rodríguez, R., 510
Rojas, A. J., 485
Romanski, J., 785
Roylance, D., 372
Rudin, A., 1435
Russo, R., 974
Ryan, M. E., 453

Salovey, R., 58, 877, 1484, 1628
Sammut, P., 1405
Samuels, R. J., 852
Sanui, K., 32, 912
Saraf, R. F., 842
Schneider, N. S., 181
Schwartz, S. A., 1
Seferis, J. C., 553, 583, 634
Seshadri, S. G., 453
Shah, K., 1277
Sharma, S. K., 648
Shingankuli, V. L., 1326
Shukla, P., 1304
Siegmann, A., 1173
Silebi, C A., 434
Smith, P. D., 1469
Soane, D. S., 207, 341
Sood, R., 20
Spruiell, J. E., 81
Stober, E. J., 634
Stokes, V. K., 718, 728, 989, 998, 1209, 1491, 1501
Strauss, J., 1373
Stroeks, A., 1347
Suthar, B., 901
Swihart, J. M., 554
Szamosi, J., 1009, 1052

Tajima, Y. A., 491
Takahashi, Y., 32, 912
Takemori, M. T., 641, 1462
Tam, T. Y., 871
Tamma, K. K., 421
Tanguy, P. A., 529
Tate, K. R., 740, 1264
Taylor, T. J., 1034, 1042
Terrisse, J., 1637
Theocaris, P. S., 610
Thomas, E. L., 888
Thompson, C. M., 655
Thornton, J. S., 655
Tighe, S. C., 949
Tobing, S. D., 1009, 1052
Tripathy, D. K., 648
Trostle, J., 592
Tucker, C. L., III, 413
Tungare, A. V., 1071
Tzoganakis, C., 170

Urdahl, K. G., 96
Utracki, L. A., 1345, 1401, 1405
Utsugi, S., 1565

Valenza, A., 90
Van Ballegooie, P., 1435
Van Der Zande, J. M., 815
Van Oene, H., 200
Vanselow, J. J., 181
Varin, R. A., 1477
Velisaris, C. N., 583
Verbraak, C. P. J. M., 758
Vincent, M., 460
Vipulanandan, C., 1182
Vittoria, V., 974
Vlachopoulos, J., 170, 982

Wadsworth, L. C., 81
Wagner, R., 291
Wakashima, Y., 403
Wallerstein, R., 1484
Wang, M., 136
Wang, P.-L., 1289
Watanabe, M., 912
Weedon, G. C., 871
Weill, A., 945
Weiss, R. A., 6
Werber, W., 785
Werner, P.-E., 1248, 1289
Westdahl, M., 1248
White, J. L., 69, 1085, 1095, 1277, 1590
Wilczyński, K., 429
Williams, M. C., 207
Willis, J. M., 1416
Willkomm, W. R., 888
Winter, H. H., 444
Woodhams, R. T., 740, 1264
Woodthorpe, J., 1572
Wool, R. P., 52
Wright, T. M., 1586
Wu, S., 538
Wu, X., 136

Xanthos, M., 1392

Yacubowicz, J., 1581
Yamada, T., 37, 377, 381, 385
Yamashiro, S., 679, 684
Yang, B., 697, 708
Yokoyama, T., 403
Yoneyama, S., 32, 912
Ysseldyke, D. A., 1491, 1501
Yu, D.-W., 1542

Zeigler, R., 1167
Zhou, C., 65
Zhou, Z., 136
Zhuang, P., 1095
Zurek, A., 796